
VegaOne Single Pass Printer






Better sharpness than that of normal digital printer

Specification

ITEMS	VegaOne Single Pass
Printing width	1300mm, 1700mm, or customised size.
Head configuration	144/192pcs Kyocera Print head (up to 305pcs print heads)
Color channels	4/6/8
Drop size	Variable Drop 5/7/12/18pl
Resolution	1200dpi (up to 1800dpi)
Printing Speed	60m/minute for production (up to 80m/minute)
RIP	VegaRip
Heating System	Natural gas, hot oil, steam
Pro Dryer	Included
Ink Tank	200kg/colour
Power	Printer 30Kw, Belt system 25Kw, Dryer 42Kw
Compressed air	>=8KG
Low Voltage Parts	Schneider France
Belt	Habasit Swiss
Servo Motor	Yaskawa Japan
Control servo	Omron Germany
OPTIONS	
Rotary Screen	Optional







Block Patterns

Physical Resolution 1200dpi, makes block designs possible to be printed in single pass.

High Sharpness

New Innovation of putting 4 colour in 1 bar, much better sharpness. Result is better than that of normal scanning digital printers.

Kyocera industrial print head

5/7/12/18 pl print heads, with grey scale.

Higher sharpness.

Longer life time.



Atexco Water Based Ink

Eco Friendly

OEKO-Passport, ZDHC

OEKO-TEX® INSPIRING CONFIDENCE ECO PASSPORT

Ø ZDHC Zero Discharge of Hazardous Chemicals

High Quality Low Price

Lower ink price makes it possible to compete with screen printing.

High Density

High density ink



The last pure land on the planet-Daocheng Yadin